TESKAD®

Safety Data Sheet

Adhesive mixture for Ecotrap and Refill Board

Safety Data Sheet dated 4/10/2022, version 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: Adhesive mixture for ecotrap rats/ecotrap rats plus/ecotrap

quadro/quadro box/refill boards mice and rats/book refill/adhesive for fruit trees and customized products

Trade code: P-02004, P-02004B, P-02004G40, P-02004G40B,

P-02104DIN, P-02004CIN, P-02013B, P-02048A, P-

02148DIN, P-02031, P-02041, P-02005, P-02019, P-02053,

P-02054, P-02055 and customized codes.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Adhesive mixture for the production of adhesive traps for mice and rats and traps for fruit trees.

Product category

PC1 Adhesives, sealants

Uses advised against:

the mixture has to be used for the mentioned application and use.

1.3. Details of the supplier of the safety data sheet

Company:

DT GROUPE

145 Avenue de Flandres

75019 Paris

Tel: +33 01.40.38.38.38 Mail: dt.groupe@hotmail.fr

Competent person responsible for the safety data sheet:

dt.groupe@hotmail.fr

1.4. Emergency telephone number

UK Emergency numbers: 999 or 112

Company emergency telephone number: +39 02 33514890 (available from Monday to Friday from 9 a.m. to 6 p.m., for technical assistance only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

P-02004/5

Adhesive mixture for Ecotrap and Refill Board

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number		Classification
>= 0.1% - < 0.25%	cyclohexane	Index number: CAS: EC: REACH No.:	110-82-7 203-806-2	 2.6/2 Flam. Liq. 2 H225 3.10/1 Asp. Tox. 1 H304 3.2/2 Skin Irrit. 2 H315 3.8/3 STOT SE 3 H336 4.1/A1 Aquatic Acute 1 H400 4.1/C1 Aquatic Chronic 1 H410

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Carbon dioxide

foam

powder

Water haze

P-02004/5

Adhesive mixture for Ecotrap and Refill Board

Extinguishing media which must not be used for safety reasons:

High pressure water jets.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Cont	rol parameters	
DEU	Deutschland	TRGS 900 - Seite 1 von 69 (Fassung 29.03.2019)- Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte
ESP	España	LÍMITES DE EXPOSICIÓN PROFESIONAL PARA AGENTES QUÍMICOS EN ESPAÑA 2019 (INSST)
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Third edition, published 2018)
ITA	Italia	DIRETTIVA (UE) 2017/164 DELLA COMMISSIONE del 31 gennaio 2017
PRT	Portugal	Ministério da Economia e do Emprego Consolida as prescrições mínimas em matéria de protecção dos trabalhadores contra os riscos para a segurança e a saúde devido à exposição a agentes químicos notrabalho - Diário da República, 1.ª série - N.º 111 - 11 de junho de 2018
EU	OEL EU	Direttiva (UE) 2017/2398; Direttiva (UE) 2017/164; Direttiva 2009/161/UE; Direttiva

Adhesive mixture for Ecotrap and Refill Board

2006/15/CE; Direttiva

2004/37/CE; Direttiva 2000/39/CE; Direttiva 91/322/CEE.

TLV-ACGIH ACGIH 2019

Cyclohexane - CAS: 110-82-7

Country	Type	Long mg/m3	Long ppm	Duration
DEU	AGW	700	200	8h
DEU	MAK	700	200	8h
ESP	VLA	700	200	8h
FRA	VLEP	700	200	8h
GBR	WEL	350	100	8h
ITA	VLEP	350	100	8h
Country	Type	Long mg/m3	Long ppm	Duration
ITA	TWA	344	100	8h
EU	IOELV	700	200	8h
	T) // A O O !! !			
	TVL-ACGIH	344	100	8h
USA	PEL	344 1050	100 300	8h 8h
USA USA				

DNEL exposure limit values

cyclohexane - CAS: 110-82-7

Industrial worker: 2016 mg/kg - Exposure: Human Skin - Frequency: Long term,

systemic effects - Notes: (Rat)

Industrial worker: 1400 mg/m3 - Exposure: Human Inhalation - Frequency: Short term,

systemic effects - Notes: (Fish)

Industrial worker: 700 mg/m3 - Exposure: Human Inhalation - Frequency: Long term,

local effects

Industrial worker: 700 mg/m3 - Exposure: Human Inhalation - Frequency: Long term,

systemic effects

Industrial worker: 1400 mg/m3 - Exposure: Human Inhalation - Frequency: Short term,

local effects

PNEC exposure limit values

cyclohexane - CAS: 110-82-7

Target: Fresh water - Value: 0.207 mg/l

Target: Freshwater sediment - Value: 16.68 mg/kg

Target: Seawater - Value: 0.207 mg/l

Target: Sea water sediment - Value: 16.68 mg/l

Target: STP - Value: 3.24 mg/l Target: Soil - Value: 3.38 mg/kg

Target: Intermittent Release - Value: 0.207 mg/l

8.2. Exposure controls

Eye protection:

Safety glasses.

Protection for skin:

Wear category I professional long-sleeved overalls and safety footwear (ref. Directive Regulation 89/686/EEC and standard EN ISO 20344).

Protection for hands:

Wear protective gloves.

Respiratory protection:

If the limit value of the substance, or of one of the substances in the product, is exceeded (ex. TLV-TWA), we suggest the use of a mask with type A filter, whose class (1,2 or 3) must be chosen according to the use limit concentration (ref. Reg. EN14385). In case of presence of gases or vapours of different nature and/or gases or vapours with particles (aerosol, fumes,

Adhesive mixture for Ecotrap and Refill Board

fogs, etc.), it is necessary to use combined filters. The use of respiratory protective devices is necessary in case the adopted technical measures are not sufficient to limit the worker exposure to the considered limit values. The mask protection is limited.

For the right choice of the protective respiratory device consider the EN 529 Regulation.

Thermal Hazards:

None

Environmental exposure controls:

Emissions from production processes, including those from ventilation equipment, should be controlled in order to comply with environmental legislation.

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	N.A.		
Odour:	Slight of glue		
	if not		
	flavoured;		
	characteristic		
	in case		
	flavours were		
	used (banana,		
	hazelnut,		
	black cherry, according to		
	technical		
	specifications)		
	specifications)		
Melting point/freezing	N.A.		
point:			
Boiling point or initial	N.A.		
boiling point and boiling			
range:			
Flammability:	N.A.		
Lower and upper explosion	N.A.		
limit:			
Flash point:	N.A.		
Auto-ignition temperature:	N.A.		
Decomposition	N.A.		
temperature:			
pH:	N.A.		
Kinematic viscosity:	N.A.		
Solubility in water:	Insoluble		
Solubility in oil:	N.A.		
Partition coefficient n-	N.A.		
octanol/water (log value):	N. A		
Vapour pressure:	N.A.		
Density and/or relative	0.83-0.93@		
density:	20°C		
Relative vapour density:	N.A.		

Adhesive mixture for Ecotrap and Refill Board

Relative density:	0.83-0.93@		
	20°C		
Particle characteristics:			
Particle size:	N.A.		

9.2. Other information

Properties	Value	Method:	Notes
Explosive properties:	Non explosive		
Viscosity:	>20.5 mm2/sec (40°C)		-
Oxidizing properties:	Non oxidizing		

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

CYCLOHEXANE: it can react with strong oxidizing agents and liquid nitrogen oxide. It can create explosive mixtures with the air.

10.4. Conditions to avoid

Avoid overheating and any ignition source.

10.5. Incompatible materials

CYCLOHEXANE: natural and butyl rubber, neoprene, chloride of polyvinyl, polyethylene.

10.6. Hazardous decomposition products

By thermal decomposition or in case of fire, gases and vapours, which are potentially harmful to health, can be released.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

Miscela adesiva per Ecotrap e Tavole Refill

a) Acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

c) serious eye damage/irritation

Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) Carcinogenicity

Not classified

Based on available data, the classification criteria are not met

Adhesive mixture for Ecotrap and Refill Board

g) Reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product:

cyclohexane - CAS: 110-82-7

Information on likely routes of exposure

Workers: inhalation; skin contact.

Population: ingestion of contaminated food or water; inhalation of air; skin contact with products containing the substance.

Immediate, delayed and chronic effects from short- and long-term exposure

It is irritant for skin and mucous membranes; the neurolesive action can occur with elevated doses and it is due to Cyclohexanone, its metabolite.

Interactive effects

It can enhance the effects of tri-ortho-cresyl phosphate (TOCP).

a) Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Notes: Metodo equivalente o similare a OECD Guideline 401.

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg - Notes: Metodo equivalente o similare a OECD Guideline 402.

Test: LC50 - Route: Inhalation - Species: Rat > 5540 ppm - Duration: 4H - Notes:

Metodo equivalente o similare a OECD Guideline 403.

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Miscela adesiva per Ecotrap e Tavole Refill

Not classified for environmental hazards

Based on available data, the classification criteria are not met

cyclohexane - CAS: 110-82-7

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 4.53 mg/l - Duration h: 96 - Notes: Pimephales promelas. Metodo equivalente o similare a OECD Guideline 203.

Endpoint: EC50 - Species: Crustaceans = 0.9 mg/l - Duration h: 48 - Notes: Daphnia magna. Metodo equivalente o similare a OECD Guideline 202.

Endpoint: EC50 - Species: Algae = 3.4 mg/l - Duration h: 72 - Notes:

Pseudokircheneriella subcapitata. Metodo equivalente o similare a OECD Guideline 201.

Adhesive mixture for Ecotrap and Refill Board

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae = 0.9 mg/l - Duration h: 72 - Notes: Pseudokircheneriella subcapitata. Metodo equivalente o similare a OECD Guideline

12.2. Persistence and degradability

Miscela adesiva per Ecotrap e Tavole Refill

Biodegradability: Readily biodegradable - Duration h: 28 days - %: 77 - Notes: (OECD Guideline 301 F).

cvclohexane - CAS: 110-82-7

Biodegradability: Readily biodegradable - Duration h: 28 days - %: 77 - Notes: % (OECD Guideline 301 F).

12.3. Bioaccumulative potential

cvclohexane - CAS: 110-82-7

Partition coefficient: n-octano/water 3.44 - Notes: 25°C (hansch C, Leo A and Hoekman D, 1995)

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Additional disposal information:

The product wastes have to be considered as special ones, and not dangerous ones. Their disposal must be carried out by an authorized Company, complying with local and national regulations.

Product/packaging (contaminated) waste: it must be submitted to a special treatment, according to the current local, national and/or European legislation.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

N.A.

14.6. Special precautions for user

N.A

14.7. Maritime transport in bulk according to IMO instruments

N.A.

Adhesive mixture for Ecotrap and Refill Board

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 40

Restrictions related to the substances contained:

Restriction 57

Restriction 75

Where applicable, refer to the following regulatory provisions:

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

Adhesive mixture for Ecotrap and Refill Board

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1

This safety data sheet has been completely updated in compliance to Regulation 2020/878.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

Adhesive mixture for Ecotrap and Refill Board

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.